

"ACCESS ROADS WERE BLOCKED AND PARTIALLY IMPASSIBLE. IT WAS IMPOSSIBLE FOR US TO BRING THE REQUIRED MOBILE POWER SOLUTIONS TO THE JOB SITE."

Bredenoord

During the 2021 flooding in Europe, access to the impacted areas was severely limited as roads were destroyed or covered with mud, rocks, and trees. For most rescue vehicles, roads were almost impassible. With the use of PowerBully, rescue teams could safely and efficiently bring emergency personnel, equipment, generators, pumps and supplies to hard-to-reach sites.




FOR ANY TERRAIN. POWERBULLY.



POWERBULLY SAFELY BRINGS EMERGENCY PERSONNEL, TOOLS AND EQUIPMENT TO YOUR REMOTE JOB SITE.

TECHNICAL DATA FOR POWERBULLY 9C

PAYLOAD	9.0 t	19,900 lbs
GROUND PRESSURE	0.19 kg/cm²	2.70 psi
FORDING DEPTH	1,100 mm	43.3"
MAX. SPEED	14.5 km/h	9.0 mph
GRADEABILITY 💋	uphill/downhill 60 % sidehill 40 %	31° 22°



DIMENSIONS

OVERALL LENGTH	5,649 mm	222.4"
OVERALL WIDTH	2,570 mm	101.2"
OVERALL HEIGHT	2,875 mm	112.5"
GROUND CLEARANCE	389 mm	15.3"

ENGINE

TYPE	Cummins B6.7 turbo diesel
DISPLACEMENT	6.7 6,700 ccm
POWER OUTPUT	173 kW 235 hp @ 2,000 rpm
EMISSION STANDARD	EU Stage V Tier 4f



FOR ANY CHALLENGE. THIS IS POWERBULLY.



OFF-ROAD ABILITIES

- Traction and gradeability
 The rugged and powerful rubber tracks provide maximum traction on any surface.
- Fording depth

 With a fording depth of over one meter,

 PowerBully vehicles even cross flooded areas
 with no problem.
- Minimum ground pressure

 Thanks to the very low ground pressure, you can drive on soil with minimal impact to the terrain.



SAFETY & COMFORT

- Optimum ground adjustment
 The pendulum axles and the large running wheels provide a smooth and safe ride.
- Operating concept The intuitive operating concept with arm rest, operating buttons and a large touchscreen guarantees easy and safe control.
- Ergonomics and comfort

 The ergonomic and suspended cab with
 excellent panoramic view helps you work
 safely.



ATTACHMENT OPTIONS

- High payload
 The PowerBully models bring up to 16.6 metric tons to hard-to-reach locations of operation.
- Interfaces
 Attaching made easy by standardized mechanical, electrical and hydraulic interfaces.
- Attachment options
 Arbeitsgeräte Implements such as man lifts,
 cranes and drilling machines can be mounted easily.



RELIABILITY

- Global service network
 With our worldwide service network,
 rapid assistance is quaranteed.
- Diagnostics and telemetry
 The integrated fault diagnotics and
 additional remote diagnotics enable
 faster detection and elimination of faults.
- Over 50 years of experience As the market leader for snow groomers, Kässbohrer brings over 50 years of experience to the field of tracked vehicles.

ONE CONCEPT. NUMEROUS APPLICATIONS.















FOR ANY JOB SITE. OVERVIEW OF MODELS.



PowerBully 9D - Payload of 7.5 metric tons



PowerBully 9C - Payload of 9.0 metric tons





Discover PowerBully!

FOR MORE INFORMATION, VISIT OUR WEBSITE:

powerbully.com

CONTACT US:

sales@powerbully.com instagram.com/powerbullyglobal

